



BD Life Sciences
7 Loveton Circle
PO Box 999
Sparks, MD 21152

bd.com

July 2024

**IMPORTANT: Medical Device Product Communication
BD BACTEC™ Blood Culture Media Vials
Interim Shelf-Life Extension for Specific Lot Numbers**

Dear BD BACTEC™ blood culture system user,

The purpose of this letter is to inform end users of an interim shelf-life extension for specific lots of BD BACTEC™ Blood Culture Vials. Details of products impacted by this communication can be found in Attachment 1.

Please distribute this communication to all relevant personnel within your facility.

Details:

As recently communicated with you, BD is currently experiencing global supply challenges with the BD BACTEC™ Blood Culture Vials.

We understand the critical role that blood testing plays in diagnosing and treating infections and are taking all available measures to address this important issue, including assessing our stability data for the BD BACTEC™ Blood Culture Vials.

Stability testing is performed for all BD BACTEC™ Blood Culture Vials to support shelf life and expiration dating. BD has reviewed stability data beyond the current 9-month shelf-life and has concluded that the studies demonstrate the BD BACTEC™ Blood Culture Vials, detailed at Attachment 1, can meet specification limits for stability parameters at the 10-month time-point, if the product was stored and used as intended (i.e., storage temperatures of 2-25°C, with appropriate blood volumes). The labelled and extended expiry dates are provided at Attachment 1 for each Lot Number that this communication relates to.

This extension of shelf life applies only to the specific Lot Numbers for the BD BACTEC™ Plus Aerobic, Plus Anaerobic, Lytic Anaerobic, and Peds Plus SKUs provided in Attachment 1.

Per normal protocols, please report any adverse health consequences experienced with the use of these products to BD via your BD Account Representative or via productcomplaints@bd.com.

Please contact your local BD Account Representative with any questions. As this is a dynamic and evolving situation, we will continue to provide supply updates as new information becomes available.

Thank you for your continued trust and partnership as we navigate this challenge while ensuring that patient care remains our top priority.

Sincerely,

A handwritten signature in black ink that reads "Carol Nieto".

Carol Nieto
Vice President Quality Management

Attachment 1: Affected Products

BD BACTEC™ Plus Aerobic/F Culture Vials (Catalog (REF) No. 442023; 3 mL to 10 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
3277810	2024-Jul-08	2024-Aug-07
3282670	2024-Jul-09	2024-Aug-08
3271992	2024-Jul-01	2024-Jul-31
3271991	2024-Jul-01	2024-Jul-31
3275480	2024-Jul-02	2024-Aug-01
3275477	2024-Jul-02	2024-Aug-01
3275481	2024-Jul-03	2024-Aug-02
3275482	2024-Jul-03	2024-Aug-02
3275485	2024-Jul-04	2024-Aug-03
3275484	2024-Jul-04	2024-Aug-03
3277810	2024-Jul-08	2024-Aug-07
3277811	2024-Jul-08	2024-Aug-07
3277814	2024-Jul-09	2024-Aug-08
3277813	2024-Jul-09	2024-Aug-08
3282670	2024-Jul-09	2024-Aug-08
3282669	2024-Jul-09	2024-Aug-08
3277816	2024-Jul-10	2024-Aug-09
3277815	2024-Jul-10	2024-Aug-09
3277819	2024-Jul-11	2024-Aug-10
3277817	2024-Jul-11	2024-Aug-10
3277823	2024-Jul-12	2024-Aug-11
3277822	2024-Jul-12	2024-Aug-11
3277821	2024-Jul-12	2024-Aug-11
3277820	2024-Jul-12	2024-Aug-11
3284974	2024-Jul-15	2024-Aug-14
3277824	2024-Jul-15	2024-Aug-14
3284976	2024-Jul-16	2024-Aug-15
3284975	2024-Jul-16	2024-Aug-15
3284978	2024-Jul-17	2024-Aug-16
3284977	2024-Jul-17	2024-Aug-16
3284980	2024-Jul-18	2024-Aug-17
3284979	2024-Jul-18	2024-Aug-17
3284984	2024-Jul-19	2024-Aug-18
3284985	2024-Jul-19	2024-Aug-18
3284982	2024-Jul-19	2024-Aug-18
3284981	2024-Jul-19	2024-Aug-18
3292535	2024-Jul-22	2024-Aug-21
3292534	2024-Jul-22	2024-Aug-21
3292536	2024-Jul-23	2024-Aug-22
3292541	2024-Jul-24	2024-Aug-23
3292539	2024-Jul-24	2024-Aug-23
3292543	2024-Jul-25	2024-Aug-24
3298255	2024-Jul-31	2024-Aug-30
3298258	2024-Aug-01	2024-Aug-31
3298257	2024-Aug-01	2024-Aug-31
3298265	2024-Aug-02	2024-Sep-01
3298267	2024-Aug-02	2024-Sep-01
3298262	2024-Aug-02	2024-Sep-01
3304203	2024-Aug-05	2024-Sep-04
3304201	2024-Aug-05	2024-Sep-04
3304207	2024-Aug-06	2024-Sep-05

BD BACTEC™ Plus Aerobic/F Culture Vials (Catalog (REF) No. 442023; 3 mL to 10 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
3304204	2024-Aug-06	2024-Sep-05
3305813	2024-Aug-07	2024-Sep-06
3305814	2024-Aug-08	2024-Sep-07
3305815	2024-Aug-09	2024-Sep-08
3312525	2024-Aug-12	2024-Sep-11
3312526	2024-Aug-12	2024-Sep-11
3312527	2024-Aug-13	2024-Sep-12
3312528	2024-Aug-14	2024-Sep-13
3312531	2024-Aug-14	2024-Sep-13
3312532	2024-Aug-15	2024-Sep-14
3312533	2024-Aug-15	2024-Sep-14
3312537	2024-Aug-16	2024-Sep-15
3312535	2024-Aug-16	2024-Sep-15
3312536	2024-Aug-16	2024-Sep-15
3318017	2024-Aug-19	2024-Sep-18
3318018	2024-Aug-19	2024-Sep-18
3318020	2024-Aug-20	2024-Sep-19
3318019	2024-Aug-20	2024-Sep-19
3318022	2024-Aug-21	2024-Sep-20
3318021	2024-Aug-21	2024-Sep-20
3325188	2024-Aug-26	2024-Sep-25
3325187	2024-Aug-26	2024-Sep-25
3325190	2024-Aug-27	2024-Sep-26
3325191	2024-Aug-27	2024-Sep-26
3325197	2024-Aug-28	2024-Sep-27
3325193	2024-Aug-28	2024-Sep-27
3325195	2024-Aug-28	2024-Sep-27
3325198	2024-Aug-28	2024-Sep-27
3325202	2024-Aug-29	2024-Sep-28
3325200	2024-Aug-29	2024-Sep-28
3335943	2024-Sep-02	2024-Oct-02
3335944	2024-Sep-02	2024-Oct-02
3335945	2024-Sep-03	2024-Oct-03
3335946	2024-Sep-03	2024-Oct-03
3340573	2024-Sep-09	2024-Oct-09
3340572	2024-Sep-09	2024-Oct-09
3340574	2024-Sep-10	2024-Oct-10
3340575	2024-Sep-10	2024-Oct-10
3340576	2024-Sep-11	2024-Oct-11
3340577	2024-Sep-11	2024-Oct-11
3340581	2024-Sep-12	2024-Oct-12
3340580	2024-Sep-12	2024-Oct-12
3340578	2024-Sep-12	2024-Oct-12
3340579	2024-Sep-12	2024-Oct-12
3347646	2024-Sep-13	2024-Oct-13
3347643	2024-Sep-13	2024-Oct-13
3347651	2024-Sep-16	2024-Oct-16
3347649	2024-Sep-16	2024-Oct-16
3347658	2024-Sep-17	2024-Oct-17
3347655	2024-Sep-17	2024-Oct-17
3347654	2024-Sep-17	2024-Oct-17
3347660	2024-Sep-18	2024-Oct-18
3347662	2024-Sep-19	2024-Oct-19
3355837	2024-Sep-23	2024-Oct-23

BD BACTEC™ Plus Aerobic/F Culture Vials (Catalog (REF) No. 442023; 3 mL to 10 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
3355836	2024-Sep-23	2024-Oct-23
3355840	2024-Sep-25	2024-Oct-25
3355838	2024-Sep-25	2024-Oct-25
3355844	2024-Sep-26	2024-Oct-26
3361699	2024-Oct-03	2024-Nov-02
3361706	2024-Oct-04	2024-Nov-03
3361701	2024-Oct-04	2024-Nov-03
3361702	2024-Oct-04	2024-Nov-03
3361708	2024-Oct-08	2024-Nov-07
3361709	2024-Oct-08	2024-Nov-07
3361710	2024-Oct-11	2024-Nov-10
4010203	2024-Oct-15	2024-Nov-14
4010204	2024-Oct-16	2024-Nov-15
4010205	2024-Oct-16	2024-Nov-15
4010206	2024-Oct-17	2024-Nov-16
4010207	2024-Oct-17	2024-Nov-16
4017779	2024-Oct-21	2024-Nov-20
4017781	2024-Oct-21	2024-Nov-20
4017783	2024-Oct-22	2024-Nov-21
4017782	2024-Oct-22	2024-Nov-21
4017786	2024-Oct-23	2024-Nov-22
4017784	2024-Oct-23	2024-Nov-22
4017785	2024-Oct-23	2024-Nov-22
4017790	2024-Oct-24	2024-Nov-23
4017788	2024-Oct-24	2024-Nov-23
4017792	2024-Oct-25	2024-Nov-24
4023700	2024-Oct-28	2024-Nov-27
4023698	2024-Oct-28	2024-Nov-27
4023701	2024-Oct-29	2024-Nov-28
4023702	2024-Oct-29	2024-Nov-28
4023721	2024-Oct-30	2024-Nov-29
4023722	2024-Oct-30	2024-Nov-29
4023730	2024-Nov-01	2024-Dec-01
4023726	2024-Nov-01	2024-Dec-01
4023728	2024-Nov-01	2024-Dec-01
4032374	2024-Nov-04	2024-Dec-04
4032373	2024-Nov-04	2024-Dec-04
4032377	2024-Nov-05	2024-Dec-05
4032376	2024-Nov-05	2024-Dec-05
4036962	2024-Nov-07	2024-Dec-07
4032379	2024-Nov-07	2024-Dec-07
4032378	2024-Nov-07	2024-Dec-07
4036960	2024-Nov-07	2024-Dec-07
4032494	2024-Nov-08	2024-Dec-08
4038363	2024-Nov-11	2024-Dec-11
4038362	2024-Nov-11	2024-Dec-11
4038364	2024-Nov-12	2024-Dec-12
4038365	2024-Nov-12	2024-Dec-12
4038366	2024-Nov-13	2024-Dec-13
4038368	2024-Nov-13	2024-Dec-13
4038367	2024-Nov-13	2024-Dec-13
4038372	2024-Nov-14	2024-Dec-14
4038371	2024-Nov-14	2024-Dec-14
4038370	2024-Nov-14	2024-Dec-14

BD BACTEC™ Plus Aerobic/F Culture Vials (Catalog (REF) No. 442023; 3 mL to 10 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
4038374	2024-Nov-15	2024-Dec-15
4038382	2024-Nov-15	2024-Dec-15
4045950	2024-Nov-18	2024-Dec-18
4045949	2024-Nov-18	2024-Dec-18
4045952	2024-Nov-19	2024-Dec-19
4045953	2024-Nov-19	2024-Dec-19
4045951	2024-Nov-19	2024-Dec-19
4045955	2024-Nov-20	2024-Dec-20
4045954	2024-Nov-20	2024-Dec-20
4051186	2024-Nov-21	2024-Dec-21
4045957	2024-Nov-21	2024-Dec-21
4045956	2024-Nov-21	2024-Dec-21
4045958	2024-Nov-22	2024-Dec-22
4051188	2024-Nov-25	2024-Dec-25
4051189	2024-Nov-25	2024-Dec-25
4051187	2024-Nov-25	2024-Dec-25
4051192	2024-Nov-27	2024-Dec-27
4051190	2024-Nov-27	2024-Dec-27
4051191	2024-Nov-27	2024-Dec-27
4051194	2024-Nov-28	2024-Dec-28
4059764	2024-Dec-02	2025-Jan-01
4059766	2024-Dec-02	2025-Jan-01
4059774	2024-Dec-03	2025-Jan-02
4059770	2024-Dec-03	2025-Jan-02
4059768	2024-Dec-03	2025-Jan-02
4059772	2024-Dec-03	2025-Jan-02
4059775	2024-Dec-04	2025-Jan-03
4059777	2024-Dec-05	2025-Jan-04
4066480	2024-Dec-09	2025-Jan-08
4066486	2024-Dec-10	2025-Jan-09
4066484	2024-Dec-10	2025-Jan-09
4066488	2024-Dec-11	2025-Jan-10
4066517	2024-Dec-16	2025-Jan-15
4066519	2024-Dec-16	2025-Jan-15
4066521	2024-Dec-17	2025-Jan-16
4066520	2024-Dec-17	2025-Jan-16
4066525	2024-Dec-18	2025-Jan-17
4066524	2024-Dec-18	2025-Jan-17
4066527	2024-Dec-19	2025-Jan-18
4066528	2024-Dec-19	2025-Jan-18
4081459	2024-Dec-23	2025-Jan-22
4080677	2024-Dec-23	2025-Jan-22
4080679	2024-Dec-24	2025-Jan-23
4080680	2024-Dec-24	2025-Jan-23
4085451	2024-Dec-30	2025-Jan-29
4085453	2024-Dec-30	2025-Jan-29
4085455	2024-Dec-31	2025-Jan-30
4085456	2024-Dec-31	2025-Jan-30

BACTEC™ Plus Anaerobic/F Culture Vials (Catalog (REF) No. 442022; 3 mL to 10 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
3277918	2024-Jul-12	2024-Aug-11
3277919	2024-Jul-12	2024-Aug-11
3277920	2024-Jul-12	2024-Aug-01
3275541	2024-Jul-01	2024-Jul-31
3275543	2024-Jul-01	2024-Jul-31
3277920	2024-Jul-02	2024-Aug-01
3277919	2024-Jul-02	2024-Aug-01
3277918	2024-Jul-04	2024-Aug-03
3284667	2024-Jul-04	2024-Aug-03
3284666	2024-Jul-08	2024-Aug-07
3292887	2024-Jul-08	2024-Aug-07
3292886	2024-Jul-09	2024-Aug-08
3298339	2024-Jul-09	2024-Aug-08
3305851	2024-Jul-10	2024-Aug-09
3312214	2024-Jul-10	2024-Aug-09
3312217	2024-Jul-10	2024-Aug-09
3312219	2024-Jul-11	2024-Aug-10
3318049	2024-Jul-11	2024-Aug-10
3325214	2024-Jul-15	2024-Aug-14
3325215	2024-Jul-15	2024-Aug-14
3335984	2024-Jul-16	2024-Aug-15
3340613	2024-Jul-16	2024-Aug-15
3340614	2024-Jul-17	2024-Aug-16
3340616	2024-Jul-17	2024-Aug-16
3348871	2024-Jul-18	2024-Aug-17
3354972	2024-Jul-18	2024-Aug-17
3355888	2024-Jul-19	2024-Aug-18
3361753	2024-Jul-22	2024-Aug-21
4010383	2024-Jul-22	2024-Aug-21
4010381	2024-Jul-23	2024-Aug-22
4017882	2024-Jul-23	2024-Aug-22
4023771	2024-Jul-24	2024-Aug-23
4023772	2024-Jul-24	2024-Aug-23
4036002	2024-Jul-25	2024-Aug-24
4032455	2024-Jul-25	2024-Aug-24
4038403	2024-Jul-29	2024-Aug-28
4038402	2024-Jul-29	2024-Aug-28
4045012	2024-Jul-31	2024-Aug-30
4051443	2024-Jul-31	2024-Aug-30
4051442	2024-Aug-01	2024-Aug-31
4059834	2024-Aug-01	2024-Aug-31
4059833	2024-Aug-05	2024-Sep-04
4066521	2024-Aug-05	2024-Sep-04
4066555	2024-Aug-06	2024-Sep-05
4066556	2024-Aug-06	2024-Sep-05
4080709	2024-Aug-07	2024-Sep-06

BD BACTEC™ Lytic/10 Anaerobic/F Culture Vials (Catalog (REF) No. 442021; 3 mL to 10 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
3277897	2024-Jul-08	2024-Aug-07
3277896	2024-Jul-08	2024-Aug-07
3271002	2024-Jul-01	2024-Jul-31
3271999	2024-Jul-01	2024-Jul-31
3271997	2024-Jul-01	2024-Jul-31
3275515	2024-Jul-02	2024-Aug-01
3275519	2024-Jul-02	2024-Aug-01
3275522	2024-Jul-04	2024-Aug-03
3275524	2024-Jul-04	2024-Aug-03
3277896	2024-Jul-08	2024-Aug-07
3277897	2024-Jul-08	2024-Aug-07
3277899	2024-Jul-09	2024-Aug-08
3277898	2024-Jul-09	2024-Aug-08
3277955	2024-Jul-10	2024-Aug-09
3277903	2024-Jul-10	2024-Aug-09
3277902	2024-Jul-10	2024-Aug-09
3277905	2024-Jul-11	2024-Aug-10
3277904	2024-Jul-11	2024-Aug-10
3284672	2024-Jul-15	2024-Aug-14
3284670	2024-Jul-15	2024-Aug-14
3284674	2024-Jul-16	2024-Aug-15
3284673	2024-Jul-16	2024-Aug-15
3284676	2024-Jul-17	2024-Aug-16
3284675	2024-Jul-17	2024-Aug-16
3284677	2024-Jul-18	2024-Aug-17
3284679	2024-Jul-18	2024-Aug-17
3284680	2024-Jul-19	2024-Aug-18
3292611	2024-Jul-22	2024-Aug-21
3292614	2024-Jul-22	2024-Aug-21
3292619	2024-Jul-23	2024-Aug-22
3292617	2024-Jul-23	2024-Aug-22
3292620	2024-Jul-24	2024-Aug-23
3292621	2024-Jul-24	2024-Aug-23
3292625	2024-Jul-25	2024-Aug-24
3292623	2024-Jul-25	2024-Aug-24
3298323	2024-Jul-29	2024-Aug-28
3298322	2024-Jul-29	2024-Aug-28
3298328	2024-Jul-31	2024-Aug-30
3298327	2024-Jul-31	2024-Aug-30
3298330	2024-Aug-01	2024-Aug-31
3298329	2024-Aug-01	2024-Aug-31
3304253	2024-Aug-05	2024-Sep-04
3304252	2024-Aug-05	2024-Sep-04
3304254	2024-Aug-06	2024-Sep-05
3304256	2024-Aug-06	2024-Sep-05
3305828	2024-Aug-07	2024-Sep-06
3305826	2024-Aug-07	2024-Sep-06
3305830	2024-Aug-08	2024-Sep-07
3305829	2024-Aug-08	2024-Sep-07
3315133	2024-Aug-11	2024-Sep-10
3312239	2024-Aug-12	2024-Sep-11
3312241	2024-Aug-12	2024-Sep-11
3312244	2024-Aug-13	2024-Sep-12

BD BACTEC™ Lytic/10 Anaerobic/F Culture Vials (Catalog (REF) No. 442021; 3 mL to 10 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
3312242	2024-Aug-13	2024-Sep-12
3312245	2024-Aug-14	2024-Sep-13
3312248	2024-Aug-14	2024-Sep-13
3322806	2024-Aug-18	2024-Sep-17
3318030	2024-Aug-19	2024-Sep-18
3318031	2024-Aug-19	2024-Sep-18
3318034	2024-Aug-20	2024-Sep-19
3318032	2024-Aug-20	2024-Sep-19
3318036	2024-Aug-21	2024-Sep-20
3325209	2024-Aug-26	2024-Sep-25
3325207	2024-Aug-26	2024-Sep-25
3325210	2024-Aug-27	2024-Sep-26
3334963	2024-Aug-30	2024-Sep-29
3335973	2024-Sep-02	2024-Oct-02
3335970	2024-Sep-02	2024-Oct-02
3335975	2024-Sep-03	2024-Oct-03
3335974	2024-Sep-03	2024-Oct-03
3335980	2024-Sep-04	2024-Oct-04
3335979	2024-Sep-04	2024-Oct-04
3335977	2024-Sep-04	2024-Oct-04
3340592	2024-Sep-09	2024-Oct-09
3340594	2024-Sep-09	2024-Oct-09
3340597	2024-Sep-10	2024-Oct-10
3340596	2024-Sep-10	2024-Oct-10
3340600	2024-Sep-11	2024-Oct-11
3340599	2024-Sep-11	2024-Oct-11
3340603	2024-Sep-12	2024-Oct-12
3340601	2024-Sep-12	2024-Oct-12
3348687	2024-Sep-13	2024-Oct-13
3348689	2024-Sep-16	2024-Oct-16
3348691	2024-Sep-16	2024-Oct-16
3348693	2024-Sep-17	2024-Oct-17
3348694	2024-Sep-18	2024-Oct-18
3348697	2024-Sep-19	2024-Oct-19
3348696	2024-Sep-19	2024-Oct-19
3355872	2024-Sep-23	2024-Oct-23
3355873	2024-Sep-23	2024-Oct-23
3355874	2024-Sep-23	2024-Oct-23
3355871	2024-Sep-23	2024-Oct-23
3355877	2024-Sep-25	2024-Oct-25
3355875	2024-Sep-25	2024-Oct-25
3361746	2024-Oct-03	2024-Nov-02
3361743	2024-Oct-03	2024-Nov-02
3361745	2024-Oct-04	2024-Nov-03
3361744	2024-Oct-04	2024-Nov-03
3361747	2024-Oct-07	2024-Nov-06
3361752	2024-Oct-08	2024-Nov-07
3361749	2024-Oct-08	2024-Nov-07
3361748	2024-Oct-08	2024-Nov-07
3361750	2024-Oct-09	2024-Nov-08
3361751	2024-Oct-09	2024-Nov-08
4010223	2024-Oct-14	2024-Nov-13
4010222	2024-Oct-14	2024-Nov-13

BD BACTEC™ Lytic/10 Anaerobic/F Culture Vials (Catalog (REF) No. 442021; 3 mL to 10 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
4010225	2024-Oct-15	2024-Nov-14
4010224	2024-Oct-15	2024-Nov-14
4010227	2024-Oct-16	2024-Nov-15
4010228	2024-Oct-16	2024-Nov-15
4010230	2024-Oct-17	2024-Nov-16
4010229	2024-Oct-17	2024-Nov-16
4010232	2024-Oct-18	2024-Nov-17
4010231	2024-Oct-18	2024-Nov-17
4017854	2024-Oct-21	2024-Nov-20
4017853	2024-Oct-21	2024-Nov-20
4017857	2024-Oct-22	2024-Nov-21
4017855	2024-Oct-22	2024-Nov-21
4018533	2024-Oct-23	2024-Nov-22
4018532	2024-Oct-23	2024-Nov-22
4017860	2024-Oct-23	2024-Nov-22
4017858	2024-Oct-23	2024-Nov-22
4017861	2024-Oct-24	2024-Nov-23
4023748	2024-Oct-29	2024-Nov-28
4023749	2024-Oct-30	2024-Nov-29
4023750	2024-Oct-31	2024-Nov-30
4023751	2024-Oct-31	2024-Nov-30
4023757	2024-Nov-01	2024-Dec-01
4023754	2024-Nov-01	2024-Dec-01
4023755	2024-Nov-01	2024-Dec-01
4023753	2024-Nov-01	2024-Dec-01
4032425	2024-Nov-04	2024-Dec-04
4032422	2024-Nov-04	2024-Dec-04
4032428	2024-Nov-05	2024-Dec-05
4032426	2024-Nov-05	2024-Dec-05
4032429	2024-Nov-06	2024-Dec-06
4032431	2024-Nov-06	2024-Dec-06
4032433	2024-Nov-07	2024-Dec-07
4032432	2024-Nov-07	2024-Dec-07
4032435	2024-Nov-08	2024-Dec-08
4038391	2024-Nov-11	2024-Dec-11
4038390	2024-Nov-11	2024-Dec-11
4038393	2024-Nov-12	2024-Dec-12
4038392	2024-Nov-12	2024-Dec-12
4038395	2024-Nov-13	2024-Dec-13
4038394	2024-Nov-13	2024-Dec-13
4038396	2024-Nov-14	2024-Dec-14
4045973	2024-Nov-15	2024-Dec-15
4045975	2024-Nov-18	2024-Dec-18
4045976	2024-Nov-18	2024-Dec-18
4045977	2024-Nov-18	2024-Dec-18
4051323	2024-Nov-20	2024-Dec-20
4045979	2024-Nov-20	2024-Dec-20
4045978	2024-Nov-20	2024-Dec-20
4045981	2024-Nov-21	2024-Dec-21
4051325	2024-Nov-22	2024-Dec-22
4045983	2024-Nov-22	2024-Dec-22
4045982	2024-Nov-22	2024-Dec-22
4045980	2024-Nov-22	2024-Dec-22

BD BACTEC™ Lytic/10 Anaerobic/F Culture Vials (Catalog (REF) No. 442021; 3 mL to 10 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
4051328	2024-Nov-25	2024-Dec-25
4051327	2024-Nov-25	2024-Dec-25
4051330	2024-Nov-26	2024-Dec-26
4051329	2024-Nov-26	2024-Dec-26
4051331	2024-Nov-27	2024-Dec-27
4051332	2024-Nov-28	2024-Dec-28
4051333	2024-Nov-29	2024-Dec-29
4059789	2024-Dec-02	2025-Jan-01
4059788	2024-Dec-02	2025-Jan-01
4059791	2024-Dec-03	2025-Jan-02
4059790	2024-Dec-03	2025-Jan-02
4059793	2024-Dec-04	2025-Jan-03
4059792	2024-Dec-04	2025-Jan-03
4066513	2024-Dec-09	2025-Jan-08
4066512	2024-Dec-09	2025-Jan-08
4066514	2024-Dec-10	2025-Jan-09
4066515	2024-Dec-10	2025-Jan-09
4066546	2024-Dec-16	2025-Jan-15
4066545	2024-Dec-16	2025-Jan-15
4066549	2024-Dec-16	2025-Jan-15
4066542	2024-Dec-16	2025-Jan-15
4066544	2024-Dec-16	2025-Jan-15
4066547	2024-Dec-16	2025-Jan-15
4082334	2024-Dec-21	2025-Jan-20
4082335	2024-Dec-21	2025-Jan-20
4080700	2024-Dec-23	2025-Jan-22
4080701	2024-Dec-23	2025-Jan-22
4080703	2024-Dec-24	2025-Jan-23
4080702	2024-Dec-24	2025-Jan-23
4082121	2024-Dec-26	2025-Jan-25
4082118	2024-Dec-26	2025-Jan-25
4082120	2024-Dec-26	2025-Jan-25
4082117	2024-Dec-26	2025-Jan-25
4085465	2024-Dec-30	2025-Jan-29
4085464	2024-Dec-30	2025-Jan-29
4085466	2024-Dec-31	2025-Jan-30
4085467	2024-Dec-31	2025-Jan-30
4085468	2024-Dec-31	2025-Jan-30

BD BACTEC™ Peds Plus™/F Culture Vials (Catalog (REF) No. 442020; 0.5 mL to 5 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
3277927	2024-Jul-11	2024-Aug-10
3277928	2024-Jul-11	2025-Aug-10
3275558	2024-Jul-02	2024-Aug-01
3275557	2024-Jul-02	2024-Aug-01
3275561	2024-Jul-03	2024-Aug-02
3275559	2024-Jul-03	2024-Aug-02
3277928	2024-Jul-11	2024-Aug-10
3277927	2024-Jul-11	2024-Aug-10
3284663	2024-Jul-16	2024-Aug-15
3284662	2024-Jul-16	2024-Aug-15
3292897	2024-Jul-22	2024-Aug-21
3292899	2024-Jul-23	2024-Aug-22
3292898	2024-Jul-23	2024-Aug-22
3305571	2024-Aug-01	2024-Aug-31
3307114	2024-Aug-03	2024-Sep-02
3305857	2024-Aug-07	2024-Sep-06
3305856	2024-Aug-07	2024-Sep-06
3305858	2024-Aug-08	2024-Sep-07
3312205	2024-Aug-12	2024-Sep-11
3312206	2024-Aug-13	2024-Sep-12
3318062	2024-Aug-19	2024-Sep-18
3318063	2024-Aug-20	2024-Sep-19
3325220	2024-Aug-27	2024-Sep-26
3325217	2024-Aug-27	2024-Sep-26
3335991	2024-Sep-05	2024-Oct-05
3335989	2024-Sep-05	2024-Oct-05
3335992	2024-Sep-06	2024-Oct-06
3335994	2024-Sep-06	2024-Oct-06
3340624	2024-Sep-09	2024-Oct-09
3340623	2024-Sep-09	2024-Oct-09
3350978	2024-Sep-15	2024-Oct-15
3350977	2024-Sep-15	2024-Oct-15
3350976	2024-Sep-15	2024-Oct-15
3355915	2024-Sep-23	2024-Oct-23
3361759	2024-Oct-03	2024-Nov-02
3361758	2024-Oct-03	2024-Nov-02
3361760	2024-Oct-08	2024-Nov-07
3361761	2024-Oct-09	2024-Nov-08
3361762	2024-Oct-10	2024-Nov-09
4010385	2024-Oct-11	2024-Nov-10
4010388	2024-Oct-14	2024-Nov-13
4010390	2024-Oct-14	2024-Nov-13
4010387	2024-Oct-14	2024-Nov-13
4010386	2024-Oct-14	2024-Nov-13
4017889	2024-Oct-21	2024-Nov-20
4017890	2024-Oct-22	2024-Nov-21
4017891	2024-Oct-23	2024-Nov-22
4023778	2024-Oct-28	2024-Nov-27
4023779	2024-Oct-28	2024-Nov-27
4032468	2024-Nov-05	2024-Dec-05
4032470	2024-Nov-05	2024-Dec-05
4038407	2024-Nov-11	2024-Dec-11
4038409	2024-Nov-12	2024-Dec-12
4038410	2024-Nov-13	2024-Dec-13

BD BACTEC™ Peds Plus™/F Culture Vials (Catalog (REF) No. 442020; 0.5 mL to 5 mL)		
Lot Number	Label Expiration Date (YYYYMMDD)	Extended Expiration Date (YYYYMMDD)
4045027	2024-Nov-19	2024-Dec-19
4045025	2024-Nov-19	2024-Dec-19
4051445	2024-Nov-26	2024-Dec-26
4051444	2024-Nov-26	2024-Dec-26
4051446	2024-Nov-27	2024-Dec-27
4059841	2024-Dec-03	2025-Jan-02
4066525	2024-Dec-09	2025-Jan-08
4066569	2024-Dec-10	2025-Jan-09
4066570	2024-Dec-16	2025-Jan-15
4066572	2024-Dec-16	2025-Jan-15
4080729	2024-Dec-24	2025-Jan-23
4080726	2024-Dec-24	2025-Jan-23
4085495	2024-Dec-30	2025-Jan-29
4085497	2024-Dec-31	2025-Jan-30